

# Leveraging Device-Arterial Coupling to Determine Cardiac and Vascular State

k prasanth<sup>1</sup>

<sup>1</sup>madhuprasanth1435@gmail.com,

Mrs.Shyni walther<sup>2</sup>

<sup>2</sup>shynim.sse@saveetha.com,

<sup>1,2</sup>Department of Computer Science Engineering, Saveetha School of Engineering, Chennai-602105.

## ABSTRACT


*In this paper, Limitations in available diagnostic metrics restrict the efficacy of managing therapies for cardiogenic shock. cardiovascular state is inferred through measurement of pulmonary capillary wedge pressure and reliance on linear approximations between pressure and flow to estimate peripheral vascular resistance. Mechanical circulatory support devices residing within the left ventricle and aorta provide an opportunity for both determining cardiac and vascular state and offering therapeutic benefit. We leverage the controllable mode of operation and transvalvular position of an indwelling percutaneous ventricular assist device to assess vascular and, in turn, cardiac state through the effects of device-arterial coupling across different levels of device support. Methods: Vascular state is determined by measuring changes in the pressure waveforms induced through intentional variation in the device generated blood flow. We evaluate this impact by applying a lumped parameter model to quantify state-specific vascular resistance and compliance and calculate beat-to-beat stroke volume and cardiac output in both animal models and retrospective patient data without external calibration. Results: Vascular state was accurately predicted in patients and animals in both baseline and experimental conditions. In the animal, stroke volume was predicted within a total RMS error of 3.71 mL (n=482). Conclusion: We demonstrate that device-arterial coupling is a powerful tool for evaluating patient and state specific parameters of cardiovascular function. Significance: These insights may yield improved clinical care and support the development of next generation mechanical circulatory support devices that determine and operate in tandem with the supported organ.*

**Keywords:** Cardiac output, vascular resistance, mechanical circulatory support, cardiogenic shock, vascular coupling

## INTRODUCTION

Cardiogenic shock, defined as impaired cardiac function leading to inadequate end-organ perfusion, is a highly morbid condition with mortality rates exceeding 40% despite prompt medical therapy. Treatment is impeded by the lack of sufficient tools to aid the clinician in performing timely diagnosis, determining the severity of dysfunction, and accurately titrating support to physiologic demand. Laboratory data are intermittently obtained at significant delay while practical considerations limit the frequent use of echocardiography to assess cardiac function. Indwelling catheters, such as those that reside in the pulmonary artery provide real-time measures of central venous pressure and pulmonary artery pressure and can be used to periodically measure the pulmonary capillary wedge pressure – considered an estimate of the left ventricular end-diastolic pressure. Pulmonary artery catheters (PACs) can also estimate cardiac output (CO) using Fick's laws through measures of systemic oxygen consumption or the bolus thermodilution method. By applying linear Ohmic relationships of systemic pressure and flow, these pressure measurements and cardiac output estimates are clinically used to derive additional metrics such as systemic vascular resistance (SVR), pulmonary vascular resistance, and the transpulmonary gradient. Its rate is quickening in creating nations because of undesirable ways of life. The high metabolic pace of cerebrum, affectability to changes in blood stream furthermore, reliance on nonstop blood stream make strokes so hazardous. Guess of stroke is as yet a test and is very much obvious in the field of therapeutic


research. Machine learning systems are unquestionably worth investigating in foreseeing the probability of stroke. AI is a technique for information investigation that mechanizes coherent model building. The iterative period of AI is significant since as models are presented to new information tests, they are ready to adjust freely. They gain from past calculations to deliver predictable and repeatable choices. Learning stops when the calculation accomplishes a reasonable degree of execution



**Fig 1. Improving accuracy diagram**


## PROPOSED SYSTEM

This research work focuses on the development of a graphical user interface (GUI) model for the prediction of stroke using Support vector machine (SVM) with 12 input parameters. An overview of SVM and GUI design in MATLAB is given in the following sections.




### A. Support Vector Machine

SVM is a widely used supervised machine learning algorithm for classification developed by Vladimir N. Vapnik and the current standard incarnation (soft margin) was proposed by Vapnik and Corinna Cortes in 1995 [11]. In pattern classification, given a set of input samples and the corresponding class labels, the aim is to confine the implicit relation among the patterns of the same class, so that when a test sample is given, the corresponding output class label is retrieved. It merges linear algorithms with linear or non-linear kernel functions that make it a dominant tool in data mining and medical imaging applications. It outperforms other classifiers even with small numbers of training samples. Dataset for this work is taken from International Stroke trial Database. [12] Database includes patient information, patient history, hospital details, Country, risk factors and symptoms. After preprocessing, 350 samples are taken in this work. Polynomial, quadratic, radial basis function and linear functions are applied and all give different accuracy. A comparison has been made between classification accuracy of various kernel functions.



**B. Structure of GUI**


A graphical UI (GUI) is a pictorial interface to a program. A decent GUI can make programs simpler to use by giving them a predictable appearance and with natural controls like pushbuttons, list boxes, sliders, menus, etc. In this work, a MATLAB GUI is made utilizing a instrument called direct, the GUI Development Environment. This instrument enables a software engineer to design the GUI, choosing and adjusting the GUI segments to be set in it. Normal clients can show manifestations they are encountering and get a expectation from the framework.



**Fig.2.Beat Count**

**Execution ANAYSIS :**


SVM has been actualized with various bit capacities more, the fitting decision of part work for location of stroke has been examined by similar creators [13]. The exhibition measurements for different part elements of a SVM classifier.



**Fig.3.AcorrelationandBland-Altmanplot**


## CONCLUSION

A GUI model for the expectation of stroke has been created in MATLAB utilizing Support Vector Machine as the classifier. Conclusion of stroke during introductory stages is pivotal for convenient avoidance and fix. This model guides in foreseeing the likelihood of stroke dependent on side effects and hazard factors. Execution of the framework can be improved by consolidating more hazard variables and manifestations which requires preparing from an a lot bigger database.



## RESULT

We assessed vascular state from animal and patient data obtained from indwelling Impella CPs as our paradigmatic MCS device. These results were applied to a lumped parameter model of the cardiovascular system to estimate vascular parameters and cardiac performance without need for any measurements or estimations of cardiac output for calibration



## REFERENCES

1. Subha PP, Pillai Geethakumari SM, Athira M, Nujum ZT, Pattern and risk factors of stroke in the young among stroke patients admitted in medical college hospital, Thiruvananthapuram., *Ann Indian Acad Neurol* 2015;18:20-3.
2. Barry L. Zaret, M.D., Marvin Moser, M.D., Lawrence S. Cohen, Chapter 18 Stroke - Lawrence M. Brass, M.D.
3. MacMahon S, Rodgers A. The epidemiological association between blood pressure and stroke: implications for primary and secondary prevention. *Hypertens Res.* 1994;17(suppl 1):S23-S32.
4. Shinton R, Beevers G. Meta-analysis of relation between cigarette smoking and stroke. *BMJ*
5. Benjamin EJ, Levy D, Vaziri SM, D'Agostino RB, Belanger AJ, Wolf PA. Independent risk factors for atrial fibrillation in a population-based cohort: the Framingham Heart Study. *JAMA.* 1994;271:840-844
6. Saangyong Uhm, Dong-Hoi Kim, Jin Kim, Sung Won Cho, Jae Youn Cheong, "Chronic Hepatitis Classification Using SNP Data and Data Mining Techniques", *Frontiers in the Convergence of Bioscience and Information Technologies, FBIT 2007*, pp.81 - 86, 11-13 Oct. 2007. B. Smith, "An approach to graphs of linear forms (Unpublished workstyle)," unpublished.

7. S. Bhatia, P. Prakash and G.N. Pillai, SVM based Decision Support System for Heart Disease Classification with Integer-coded Genetic Algorithm to select critical features, Proceedings of the World Congress on Engineering and Computer Science, San Francisco, USA, pp.34-38, 2008.
8. Yanwei Xing, Jie Wang and Zhihong Zhao Yonghong Gao 2007 "Combination data mining methods with new medical data to predict outcome of Coronary Heart Disease" Convergence Information Technology, 2007. International Conference November 2007, pp 868-872.
9. Jianxin Chen, Guangcheng Xi, Yanwei Xing, Jing Chen, and Jie Wang 2007 "Predicting Syndrome by NEI Specifications: A Comparison of Five Data Mining Algorithms in Coronary Heart Disease" Life System Modeling and Simulation Lecture Notes in Computer Science, pp 129-135
10. Alexopoulos, E., Dounias, G.D., and Vemmos, K. (1999). "Medical diagnosis of stroke using inductive machine learning". In Proceedings of Workshop on Machine Learning in Medical Applications, Advance Course in Artificial Intelligence-ACAI99, Chania, Greece, 20-23.
11. C. Cortes and V. Vapnik, "Support-vector networks," Machine learning, vol. 20, no. 3, pp. 273-297, 1995..
12. Sandercock, Peter; Niewada, Maciej; Czlonkowska, Anna. (2011). International Stroke Trial database (version 2), University of Edinburgh. Department of Clinical Neurosciences.
13. Jeena R S, Dr Sukesh Kumar A, 'Stroke Prediction using SVM', Proceedings on International Conf. on Control, Instrumentation, Communication and Computational Technologies, (ICCICCT-2016), Tamil Nadu