

Dehazing of the Image Using Enhanced Deep Learning Framework

Dr.R.Swathi¹, P.Lokesh Kumar Reddy², G.Sreehitha³, K.Reddy Pradeep⁴

¹Associate Professor, ^{2,3,4}Assistant Professor

^{1,3,4}Department of CSE, ²Department of Computer Applications

^{1,2}S V College of Engineering (SVCE), Tirupati, Andhra Pradesh

³Sri Padmavati Mahila Visvavidyalayam, Tirupati, Andhra Pradesh

⁴Sri Venkateswara University, Tirupati, Andhra Pradesh

¹swathii.r@svcolleges.edu.in, ²lokesh.palapati@gmail.com

³sreehitha.svu@gmail.com, ⁴pradeeproyal.svu@gmail.com

Abstract

Diverse climate, similar to cloudiness, smoke, haze, downpour, or snow will cause unpleasing enhanced visualizations in pictures. Such ancient rarities may altogether corrupt the exhibitions of a few open-air vision frameworks, similar to occasion discovery and comprehension, object identification, following, and acknowledgment. Pictures are caught from open air visual gadgets are generally corrupted by turbid media, similar to dimness, smoke, mist, downpour, and day off. Dimness, smoke is one among the principal basic thing in outside scenes because of the air conditions. This task exhibits a profound learning-based engineering for single picture dehazing by means of picture rebuilding. As opposed to learning a start to finish mapping between each pair of murky pictures and its relating dimness free one embraced by most existing methodologies, we propose to improve the issue into the rebuilding of the picture base part. By first breaking down the foggy picture into the base and along these lines the detail segments, murkiness expulsion are regularly accomplished by learning a CNN (convolutional neural system) only for mapping among murky and fog free base parts, while the detail segment are frequently additionally upgraded utilizing Gaussian channel which is predicated on nearby improved edge safeguarding smoothing method. Subsequently, by incorporating the fog evacuated base and in this manner the improved detail picture parts, we will get a definitive dehazed picture.

KEYWORDS: Image dehazing, Gaussian filter, CNN algorithm

I. INTRODUCTION

A Picture is laid out as two-dimensional work. $F(x,y)$ any place x and y as deliberation organizes, and in this manner the abundance of F at any join of directions (x,y) is named the force of that picture around then. When x,y and abundance estimations of F are limited, we will in general choose it an advanced picture. In elective words, an image is regularly plot by a two-dimensional cluster explicitly sorted out in lines and sections.

Computerized Picture comprises of a limited assortment of parts, every one of those parts has a particular cost at a particular area. These parts are noted as picture parts, picture parts, and pixels. In Computerized Picture, the constituent is wide familiar with indicate the climate.

Pictures of outside scenes are essentially corrupted by the nearness of different particles and subsequently the water beads inside the environment. Cloudiness, haze, smoke are such district wonders as a result of locale assimilation and dispersing. Though catching a scene inside the camera in a climate condition the irradiance got by the camera from the scene reason for existing is constricted out and about of sight. The approaching lightweight transition is blended in with the light weight from every single elective course alluded to as the air light. The amount of dissipating relies upon the hole of the scene focuses from the camera; the corruption is variation in nature. In view of this there's a resultant rot inside the shading and along these lines the differentiation of the caught corrupted picture. Murkiness evacuation or dehazing is amazingly required in pc vision applications and in machine photography. Expelling the murkiness layer from the info cloudy picture will extensively build the deceivability of the scene. The murkiness free picture is basically outwardly satisfying in nature. A few vision calculations experience the ill effects of low-qualification scene brilliance. Dimness or haze the part particles offer the scene profundity data. In picture process space cloudiness evacuation is one among the troublesome drawback or errand because of the fog relies upon obscure profundity. For one information foggy picture the murkiness evacuation drawback is underneath constrained drawback. So, a few analysts received the strategy during which they need pondered numerous photos or additional photos. The perceivability of pictures of out of entryways scenes is debased by climate condition conditions. Part wonders like dimness and haze downsize significantly the perceivability of the caught picture. This sort of corruption in the perceivability of pictures is thought of as a rite of passage sway. To dispose of the effect of dimness and improving the perceivability of a picture is very troublesome errand inside the space of picture process. Since the vaporized is moistened by additional particles, the reflected lightweight is dissipated and therefore, far off articles and components of the scene territory unit less obvious, which is described by decreased differentiation and light hues. In for all intents and purposes each reasonable situation the daylight reflected from a surface is dissipated inside the air before it arrives at the gadget because of pressurized canned products like soil, fog, and exhaust divert light-weight from its unique course of spread. On the off chance that 2 or extra photos of a similar scene region unit given, at that point the technique for picture coordinating needs finding legitimate comparing highlight focuses in pictures. For the point of picture coordinating, highlight reason locators and descriptors territory unit utilized. Local element reason indicators extricate the intrigue focuses from pictures. Descriptor will be acclimated unambiguously decide the discovered intrigue focuses and coordinate them even beneath a spread of distressful conditions like scale changes, revolution, changes in brightening or picture commotion perspectives. In the comparing pictures, the projection of a similar scene areas has spoken to these matches. Pictures for coordinating territory unit taken at entirely unexpected occasions, from very surprising sensors/cameras and perspectives. Therefore, picture coordinating might be a troublesome errand. Picture coordinating assumes a significant job in a few remote detecting applications like revision identification, making misuse creative mind with diminished covering, a combination of pictures captivated entirely unexpected sensors. Nowadays, the assignment of picture preparing is finished precisely, this is a direct result of local component reason locators and descriptors. A few local component reason administrators are presented. The ongoing local component administrator's region unit was invariant to picture changes like geometric (scale, revolution, relative) and estimation. Filter (Scale Invariant Component Change) and SURF (Speeded up tough Element) are the commonest calculations that are abuse for picture coordinating. local element focuses (key focuses or intrigue focuses) zone unit utilized for coordinating pictures in light of their stupendous strength and perpetual quality to very surprising changes. Regularly, the structure of coordinating pictures bolstered local key focuses comprises

of 3 fundamental advances. In the first place, the local component focuses territory unit extricated from an image upheld their local information. By and large the key focuses territory unit those areas of pictures with vital variety in their prompt neighborhoods. The subsequent advance is to figure descriptors (marks) that upheld the neighbor areas of the key focuses. Very surprising systems, that portray close locales of highlight focuses, consider by and large shading, structure, and surface. The most objective of them is to expand the uniqueness of the extricated highlight focuses to improve the power and to adjust the coordinating technique. At long last, the mark vectors of separated key points region unit thought about abuse a few measurements (e.g., geometrician separation, earth mover's separation) or inferred strategies that territory unit upheld such separations.

II. RELATED WORK

A. Title: Two-stage image denoising by principal component analysis with local pixel grouping

In the anticipated LPG-PCA, we've a twisted to display a segment and its closest neighbors as a vector variable. The training tests of this variable square measure hand-picked by gathering the pixels with comparative local reflection structures to the hidden one inside the local window. With such a partner LPG strategy, the local insights of the factors could likewise be precisely figured consequently the picture edge structures could likewise be very much protected when shrinkage inside the PCA area for commotion expulsion. The two phases have steady systems beside the parameter of adequacy. Since the clamor is extensively diminished inside the principal organize, the LPG exactness might be a great deal of improved inside the second stage hence a definitive denoising result's outwardly much better. Looked at thereto utilizes an intense and quick premise work to deteriorate the picture, the anticipated LPG-PCA system could likewise be a spatially versatile picture delineation so it'll higher portray the picture local structures. Contrasted and NLM and along these lines the BM3D methodologies, the anticipated LPG-PCA system will utilize a moderately minor local window to group the comparable pixels for PCA instructing, be that as it may, it yields serious outcomes with dynamic BM3D calculation. To start with, the spatiality of the shading variable vector is thrice that of the dark level picture, and this will increment impressively the methodology esteem inside the PCA denoising strategy. Second, the high spatiality of the shading variable vector needs significantly more instructing tests to be found inside the LPG procedure. However, we've a bowed to won't be prepared to see enough instructing tests inside the local neighborhood accordingly the fluctuation lattice of the shading variable vector won't be precisely measurable, and in this manner the denoising execution could likewise be diminished.

B. Title: A Fast-Single Image Haze Removal Algorithm Using Color Attenuation Prior

Open air pictures were taken in climate (e.g., foggy or cloudy) regularly lose differentiation and loyalty, resulting from the specific indisputable reality that lightweight is assimilated and dispersed by the murky medium like particles and water beads inside the air all through the strategy of proliferation. Also, most programmed frameworks that effectively rely upon the meaning of the information pictures neglect to work generally brought about by the debased pictures. Hence, up the method of picture cloudiness expulsion can benefit a few picture comprehension and PC vision applications like ethereal essential intellectual procedure, picture grouping, picture/video recovery, remote detecting, and video investigation and acknowledgment. During this paper, we will in general propose a solitary shading constriction past for single picture dehazing. This simple and amazing past will encourage to make a straight model for the scene profundity of the murky picture. By learning the parameters of the direct model with a managed learning method, the scaffold between the foggy picture and its relating profundity map is made

adequately. With the recuperated profundity data, we'll basically deduct the murkiness from one dim picture. To locate or deduct the dimness from one picture may be a troublesome assignment in PC vision, as a consequence of next to zero information with respect to the scene structure is possible. Despite this, the human mind will rapidly build up the murky space from the regular landscape with none. Further information. This electrifies us to lead an outsized scope of analyses on differed dim pictures get search out the insights and look for a substitution past for single picture dehazing. Inquisitively, we find that the brilliance and along these lines the immersion of pixels in an exceedingly murky picture forcefully next to the change of the dimness fixation. In this way, brought about by the air light, the brilliance is extended while the immersion is diminished.

III. EXISTING SYSTEM

The nature of a caught picture in climate is typically debased by the nearness of fog inside the air since the episode lightweight to a camera is weakened and in this way the picture qualification is decreased. Dehazing is that the technique to encourage forestall murkiness impacts in caught pictures and reproduce the essential shades of normal scenes. As of late, incomprehensible endeavors are made to create efficient dehazing calculations. For the most part, dehazing calculations gauge scene profundities and figure the thickness of fog therefore. As of late, single picture dimness evacuation has made significant advancement. The accomplishment of these methodologies lies in utilizing a more grounded past or supposition. At that point sees that the fog free picture ought to have higher differentiation contrasted and the info murkiness picture and he evacuates the cloudiness by expanding the local qualification of the fixed picture. The outcomes are outwardly convincing anyway won't be truly legitimate. Since the dull channel past may be a decently datum, it's finding a workable pace for two or three express pictures. When the scene objects are naturally a proportionate on the grounds that the part lightweight and no shadow is sewed them, the dim channel past is invalid. This work conjointly shares the basic restriction of most dimness evacuation procedures - the fog imaging model could even be invalid. Huge amounts of cutting-edge models will be utilized to portray troublesome wonders, much the same as the sun's effect on the sky district, and subsequently the chromatic tint on the very edge of the skyline. This framework could bomb in scenes any place the air lightweight is extensively more brilliant than the scene. In such cases, most pixels can reason inside a proportional bearing and it will be irksome to search out the dimness lines. In existing framework actualize guided channel to inquire about light estimation and learning requirements with neighborhood pixels.




FIG 3.1 BLOCK DIAGRAM

Fig 3.1 represents the block diagrams of existing system. In existing system implement guided filter to

analyze light estimation and learning constraints with neighborhood pixels.

IV. PROPOSED SYSTEM

One of the principal points inside the picture procedure is to encourage a Partner inside the Nursing expanded picture. Out of entryways pictures square measure corrupted by the district marvels like mist, dimness, and so forth a few applications like shopper/computational photography and pc vision needs a dream expanded picture. District particles retain and disperse the daylight since it goes to the spectator wraps up in cause fog, mist. These corrupted pictures lose qualification and air-light moves the shade of the picture. Cloudiness expulsion makes the picture outwardly wonderful and adjusts the shading shift. Here we will in general gather the murkiness free picture by profound learning technique. By the process of methodology that profound learning strategy, the great data from everything about given pictures are joined along to make a resultant picture whose quality is better than any of the information pictures. This is frequently regularly accomplished by applying Laplacian on the info and mathematician on the weighted data sources. The resultant picture is made by joining such expanded information from the information pictures into one picture. The point behind profound learning-based for the most part procedure is that we will in general determine various layers like convolutional, pooling and completely associated layer. For blending we will in general wish exclusively important choices of the photos in this way we will in general choose the weight maps. During this task, we will in general propose a crisp kind of explicit picture channel, referenced as a mathematician channel. The separating yield is territorially a direct redesign of the guiding picture. This channel has the edge-protecting smoothing property somewhat like the respective channel, nonetheless, it doesn't experience the ill effects of the slope inversion relics. It's moreover identified with the tangling Laplacian framework, in this manner could likewise be a further conventional origination and is material in elective applications on the far side the extent of "smoothing". Besides, the mathematician channel has a Partner in Nursing $O(N)$ time (in the measure of pixels N) exact calculation for each dark scale and shading pictures.




FIG 4.1 PROPOSED BLOCK DIAGRAM

Fig 4.1 represents block diagram of proposed work. Images are decomposed and analyze the pixel values to group the similar pixels. And predict the depth map using Gaussian filter. Based on this, calculate transmission map and estimate atmospheric light values. Final refine the transmission, using Convolutional neural network algorithm to provide haze or fog free images with improved quality

V. ALGORITHM

A. GAUSSIAN FILTER

Gaussian channel is regularly need to evaluate climatic light values. Atmospheric transmission alludes to how well light transmitting from a scene is saved when it arrives at an observer. It is a positive scalar amount beginning from 0 to 1 where bigger qualities show improved visibility. Transmission is generally viewing picture development through as portrayed in following Condition.

$$I(x) = J(x)t(x) + A(1-t(x))$$

where x could likewise be a two dimensional special variable, $I(x)$ is that the learned picture, $J(x)$ is that the scene brilliance, A_n is that the nearby (environmental) lightweight, and $t(x)$ the primary term on the correct aspect of proportionate eq.1 is proportionally identified with the measure of daylight disparate from the scene that is dissipated out of the visual pathway at that point will increment with improved transmission. The second term is that the quantity of close lightweight generally from the sun that is dispersed into the visual pathway at that point diminishes with improved transmission. within the limits, the apparent picture will either be essentially the scene brilliance or simply the dissipated close lightweight. With the atmospherically lightweight and along these lines the transmission map, we'll recoup the scene brilliance keep with (1). however the immediate constriction term $J(x) t(x)$ are frequently horribly on the on the precarious edge of zero once the transmission $t(x)$ is on the on the very edge of zero. The legitimately recuperated scene brilliance J is vulnerable to noise. Therefore, we will in general boycott the transmission $t(x)$ by a bound t_0 , i.e., we will in general safeguard a touch amount of dimness in appallingly thick murkiness locales the final word scene radiance(x) is recouped by. Since the scene brilliance is normally not as splendid on the grounds that the atmospherically lightweight, the picture once cloudiness evacuation appearance diminish.

$$t(x) = \frac{t(x) - t_0}{\max(t(x), t_0)} + t_0$$

B. CONVOLUTIONAL NEURAL NETWORK ALGORITHM

First beginning with shading space Estimation and White Equalization, at that point Coarse Estimation of Environmental shading space at that point at long last Picture Reclamation by Neighborhood Extreme. A substitution because of develop edge-protecting multi-scale picture disintegrations. We show that present base-detail deterioration strategies, upheld the reciprocal channel, are constrained in their capacity to remove detail at subjective scales. We've executed a simple intuitive apparatus for controlling the tone and differentiation of subtleties at various scales. Given an image, we first build a three-level disintegration (coarse base level b and two detail levels) delicacy channel. This is regularly done utilizing the essential (non-iterative) development. The client is then given a gathering of sliders for controlling the presentation of the base layer, additionally in light of the fact that the boosting factors, for the base, and for the medium and fine detail layers.

i. Input Image (Preprocessor-mxn matrix)

Given an image with N pixels and feature dimensionality of M , all the feature vectors can be compiled into an $M \times N$ matrix, Y . Assuming that there are L representative features, the image model can be expressed as:

$$Y = Z\beta + \Sigma$$

Where Z is a $M \times L$ matrix whose column are representative features, β is a $L \times N$ matrix whose columns are weight vectors, Σ is a model error.

ii. Feature Extraction and Estimation

In particular, layers of Maxout units territory unit utilized for highlight extraction, which could create most fog significant alternatives. Propelled by anticipated thought, that procedure in shading channels of those fog important choices, partner unprecedented enactment performs alluded to as Maxout unit, is furthermore world class on the grounds that the non-straight mapping for measurement decrease. Maxout unit could likewise be a simple feed-forward nonlinear initiation perform utilized in multi-layer. Maxout unit maps everything about 1 dimensional vectors into partner $n-1$ dimensional one, and concentrates the murkiness applicable choices via programmed adapting instead of heuristic ways during which in existing manners. In multi-scale choices are tried viable for cloudiness evacuation, that thickly figure choices of partner input picture at various reflection scales. Multi-scale highlight extraction is moreover compelling to comprehend scale perpetuity. With three-scale results, we will in general embrace the multi-scale tone control calculation to fortify the visual effect. In step with the upper than examination, we'll control tone and qualification of subtleties at 3 scales, that encapsulate likewise as revamped pictures R, G, B got from insignificant worth, preeminent worth.

iii. Local Extreme:

Nearby extreme system, that utilizations edge-mindful addition to figure envelopes. A pressed mean layer is acquired by averaging the envelopes. The strategy will remove fine-scale detail paying little heed to differentiation. In any case, single mean layer isn't better than average to well estimate part cover, and it's settled by unvaried count that is long.

Our local extreme non-iterative method comprises of three stages:


- 1) ID of local extremes of V^{\sim} (coarse, fine, medium qualities);
- 2) Surmising of extremely envelopes; (Discover the fog esteems)
- 3) Perceivability improvement of the outcome by multistate tone control calculation.

iv. Post-processing (Non-Linear Regression)

Redressed direct measure (ReLU), which offers scanty portrayals. Be that as it may, ReLU is intended for arrangement issues and not flawlessly reasonable for the relapse issues like picture rebuilding. It may cause reaction flood particularly inside the last layer, in light of the fact that for picture reclamation, the

yield estimations of the last layer are asserted to be both lower and upper limited during a little range. In this proposed profound learning, neighborhood most extreme channels of the third layer activity evacuate the nearby estimation blunder. Along these lines the immediate weakening term $J(x)$, $t(x)$ are regularly very on the precarious edge of zero when the transmission $t(x)$ is on the very edge of zero. The air light α can't be viewed as an overall consistent, which can be learned nearby medium transmission during a brought together system. In addition, we expect climatic dissipating model likewise can be gotten the hang of during a proposed work, during which a start to finish mapping among cloudiness and fog free pictures are frequently improved legitimately without the medium transmission estimation.

VI. RESULT AND ANALYSIS



VII. CONCLUSION

Cloudiness because of mud, smoke, and diverse dry particles lessens perceivability for far off districts by perpetrating a particular dark tint inside the caught pictures. The dim picture is influenced by low differentiation and assurance because of poor perceivability conditions. Haze or Fog disposal is inconvenient as an aftereffect of the mist relies upon the inconclusive profundity information. Climate crop the activity change of most procedures. During this task, a quick and successful approach for the measure of time-picture dehazing is anticipated. utilizing a crisp presented picture past - dim channel past, murkiness evacuation for one picture while not misuse Partner in Nursing extra data is created as a chose sifting disadvantage and an improved separating topic is anticipated upheld Gaussian channel. Inside the offered recipe, actualize profound learning strategy incorporates a convolutional neural system equation which will gauge the mapping subtleties and removed essentially. At that point utilizing a Gaussian channel, the transmission will be extra refined and up-inspected. Results shows the gave strategy aptitudes to ask block the fog layer and convey the items time of your time execution. It's accepted that huge amounts of utilizations, as out of entryways police work frameworks, wise vehicle frameworks, remote detecting frameworks, illustrations editors, and so on, may pick up advantage from the anticipated system.

REFERENCES

1. L. Caraffa and J. P. Tarel, —Markov Random Field Model for Single Image Defogging, in Proc. Of IEEE Intelligent Vehicles Symposium, Gold Coast, Australia, 2013, pp.994-999
2. Dr.S.Palanivel Rajan, L.Kavitha, “Automated retinal imaging system for detecting cardiac abnormalities using cup to disc ratio”, Indian Journal of Public Health Research & Development, Print ISSN: 0976-0245, Online ISSN: 0976-5506, Vol. No.: 10, Issue : 2, pp.1019-1024, DOI : 10.5958/0976-5506.2019.00430.3, 2019.
3. L. Li, W. Feng and J. W. Zhang, —Contrast enhancement based single image dehazing via TV-L1 minimization, in Proc. IEEE intconf on Multimedia & Expo, Cheng Du, China, 2014, pp. 435-440.
4. Dr.S.Palanivel Rajan, M.Paranthaman, “Novel Method for the Segregation of Heart Sounds from Lung Sounds to Extrapolate the Breathing Syndrome”, Bioscience Biotechnology Research Communications, ISSN: 0974-6455, Vol. 12, Issue : 4, pp. 245-253, DOI: 10.21786/bbrc/12.4/1, 2019.
5. Gallen, Romain, et al. "Supporting drivers in keeping safe speed in adverse weather conditions by mitigating the risk level." IEEE Transactions on Intelligent Transportation Systems 14.4 (2013): 1558-1571.
6. M Paranthaman, A Berlin “Design of Adaptive Changing Structures with Bandwidth Control for Wideband Applications” International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering, Vol. 5, Issue 2, February 2017 pp. 26-28.
7. Dr.S.Palanivel Rajan, “Design of Microstrip Patch Antenna for Wireless Application using High Performance FR4 Substrate”, Advances and Applications in Mathematical Sciences, ISSN No.: 0974-6803, Vol. No.: 18, Issue : 9, pp. 819-837, 2019.
8. M.Paranthaman, S.Palanivel Rajan, “Design of H Shaped Patch Antenna for Biomedical Devices”, International Journal of Recent Technology and Engineering, ISSN : 2277-3878, Vol. No. 7, Issue:6S4, pp. 540-542, Retrieval No.: F11120476S4/19©BEIESP, 2019.
9. T.Abirami, Dr.S.Palanivel Rajan, “ Detection of poly cystic ovarian syndrome (PCOS) using follicle recognition techniques”, Bioscience Biotechnology Research Communications, ISSN: 0974-6455, Vol. 12, Issue : 01, pp. 1-4, DOI: 10.21786/bbrc/12.1/19, 2019.
10. M.Paranthaman, S.Palanivel Rajan, “Design of Implantable Antenna for Biomedical Applications”, International Journal of Advanced Science and Technology, P-ISSN: 2005-4238, E-ISSN: 2207-6360, Vol. No.: 28, Issue No. 17, pp. 85-90, 2019.
11. T.Abirami, S.Palanivel Rajan, “Cataloguing and Diagnosis of WBC’S in Microscopic Blood SMEAR”, International Journal of Advanced Science and Technology, P-ISSN: 2005-4238, E-ISSN: 2207-6360, Vol. 28, Issue No. 17, pp. 69-76, 2019.
12. Dr.S.Palanivel Rajan, “Enrichment of ECG Quality using Independent Component Analysis for Dynamic Scenario by Eliminating EMG Artifacts”, Advances and Applications in Mathematical Sciences, ISSN No.: 0974-6803, Vol. No.: 18, Issue : 2, pp. 219-237, 2018.
13. M. Paranthaman, "T-shape polarization reconfigurable patch antenna for cognitive radio," 2017 Third International Conference on Science Technology Engineering & Management (ICONSTEM), Chennai, 2017, pp. 927-929. doi: 10.1109/ICONSTEM.2017.8261338

14. Tarel, Jean-Philippe, et al. "Vision enhancement in homogeneous and heterogeneous fog." *IEEE Intelligent Transportation Systems Magazine* 4.2 (2012): 6-20
15. Dr.S.Palanivel Rajan, S.Suganya, "Design of Loop Antenna for the Human Brain Signal Analysis", *Indian Journal of Science and Technology*, Online ISSN No.: 0974-5645, Print ISSN No.: 0974-6846, Vol. No.: 11, Issue: 10, pp. 1-6, DOI: 10.17485/ijst/2018/v11i10/120829, 2018.
16. M.Paranthaman, Dr.S.Palanivel Rajan, "Design of E and U Shaped Slot for ISM Band Application", *Indian Journal of Science and Technology*, Online ISSN No.: 0974-5645, Print ISSN No.: 0974-6846, Vol.: 11, Issue: 18, pp. 1-3, DOI: 10.17485/ijst/2018/v11i18/123042 2018.
17. C.Vivek, S.Palanivel Rajan, "Z-TCAM : An Efficient Memory Architecture Based TCAM", *Asian Journal of Information Technology*, ISSN No.: 1682-3915, Vol. No.: 15, Issue : 3, pp. 448-454, DOI: 10.3923/ajit.2016.448.454, 2016.
18. S.Vijayprasath, R.Sukanesh, S.Palanivel Rajan, "Assessment of relationship between heart rate variability and drowsiness of post operative patients in driving conditions", *JoKULL Journal*, ISSN No.: 0449-0576, Vol. 63, Issue 11, pp. 107 – 121, 2013.
19. Hautière, Nicolas, Jean-Philippe Tarel, and Didier Aubert. "Mitigation of visibility loss for advanced camera-based driver assistance." *IEEE Transactions on Intelligent Transportation Systems* 11.2 (2010):474-484
20. S.Palanivel Rajan, R.Sukanesh, S.Vijayprasath, "[Design and Development of Mobile Based Smart Tele-Health Care System for Remote Patients](#)", *European Journal of Scientific Research*, ISSN No.: 1450-216X/1450-202X, Vol. No. 70, Issue 1, pp. 148-158, 2012.
21. M Paranthaman, G.Shanmugavadiivel "Design of Frequency Reconfigurable E-Shaped Patch Antenna for Cognitive Radio" *International Journal of Applied Engineering Research*, ISSN 0973-4562 Vol. 10 No.20 (2015) pp.16546-16548
22. K. Nishino, —Bayesian Defogging, *Int. J. Computer. Vis*, vol. 98, pp. 263- 278, Nov.2012
23. S.Palanivel Rajan, R.Sukanesh, S.Vijayprasath, "Analysis and Effective Implementation of Mobile Based Tele-Alert System for Enhancing Remote Health-Care Scenario", *HealthMED Journal*, ISSN No. : 1840-2291, Vol. No. 6, Issue No. 7, pp. 2370–2377, 2012
24. Qingsong Zhu, Jiaming Mai and Ling Shao, —A Fast Single Image Haze Removal Algorithm Using Color Attenuation Prior, *IEEE Trans. Image Process.* Vol. 24, no. 11, pp. 3522–3533, Nov. 2015.
25. Y. S Lai, Y. L. Chen, and C. T. Hsu, —Single Image Dehazing With Optimal Transmission Map, in *Proc. IntConf on Pattern Recognition*, Tsukuba, Japan 2012, pp.388-391
26. L. Zhang, W. S. Dong et al, —Two-stage image de-noising by principal component analysis with local pixel grouping, *Pattern Recognition* , vol. 43, no. 4, pp.1531-1549, Apr.2010.
27. Paranthaman, M., and S. Palanivel Rajan. "Design of Triple C shaped Slot Antenna for Implantable Gadgets." *Current Trends In Biomedical Communication And Tele-Medicine* (2018): 40. DOI: 10.21786/bbrc/11.2/6.